## Freeform Search

	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database				
Database:	EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins				
Term:	L55 and @ad<20000801				
Display: Generate:	Documents in <u>Display Format</u> : Starting with Number 1  C Hit List 6 Hit Count C Side by Side C Image				
	Search Clear Interrupt				
Search History					

DATE: Friday, January 19, 2007 Purge Queries Printable Copy Create Case

Set Name Query side by side		Hit Count Set Name result set	
DB=P	GPB, USPT; PLUR=YES; OP=ADJ		
<u>L56</u>	L55 and @ad<20000801	4	<u>L56</u>
<u>L55</u>	L54 and (message near3 configuration)	24	<u>L55</u>
<u>L54</u>	storing near3 configuration information near3 database	123	<u>L54</u>
<u>L53</u>	storing near3 configuration information	1487	<u>L53</u>
DB=USPT; $PLUR=YES$ ; $OP=ADJ$			
<u>L52</u>	storing near3 configuration information	756	<u>L52</u>
<u>L51</u>	L49 and (database with configuration)	0	<u>L51</u>
<u>L50</u>	L49 and database	. 1	<u>L50</u>
<u>L49</u>	(("6286035")!.PN.) .p64-p145.	1	<u>L49</u>
<u>L48</u>	L47 and validat\$4	1	<u>L48</u>
<u>L47</u>	(("6286035")!.PN.) .p64-p145.	· 1	<u>L47</u>
DB=P	GPB, USPT; PLUR=YES; OP=ADJ		
<u>L46</u>	(validating adj2 configuration) with message	4	<u>L46</u>
<u>L45</u>	(validating adj2 configuration) same message same database	2	<u>L45</u>
<u>L44</u>	validat\$4 same configuration same message same database	172	<u>L44</u>
DB=U	ISPT; PLUR=YES; OP=ADJ		

<u>L43</u>	L39 and (configuration and database)	1	<u>L43</u>		
<u>L42</u>	L39 and (configuration same database)	0	<u>L42</u>		
<u>L41</u>	L39 and (configuration with database)	0	<u>L41</u>		
<u>L40</u>	L39 and (configuration near6 database)	0	<u>L40</u>		
<u>L39</u>	(("6212657")!.PN.) .p64-p145.	1	<u>L39</u>		
DB=P	GPB,USPT; PLUR=YES; OP=ADJ				
<u>L38</u>	L37 and @ad<20000801	4	<u>L38</u>		
<u>L37</u>	validating configuration information	13	<u>L37</u>		
<u>L36</u>	configuration with database with validat\$4	220	<u>L36</u>		
<u>L35</u>	message same database same (validat\$4 near3 configuration)	42	<u>L35</u>		
<u>L34</u>	message same configuration same database same validat\$4	172	<u>L34</u>		
<u>L33</u>	L32 and @ad<20000801	2	<u>L33</u>		
<u>L32</u>	L30 and (validat\$4 near6 configuration)	22	<u>L32</u>		
<u>L31</u>	L30 and validat\$4	168	<u>L31</u>		
<u>L30</u>	(configuration information) near3 stor\$4 near3 database	730	<u>L30</u>		
<u>L29</u>	(configuration information) near3 database	1537	<u>L29</u>		
<u>L28</u>	configuration information near6 database	2127	<u>L28</u>		
DB=U	SPT; PLUR=YES; OP=ADJ				
<u>L27</u>	L22 and configuration information	1	<u>L27</u>		
<u>L26</u>	L22 and (database near6 configuration)	0	<u>L26</u>		
<u>L25</u>	L22 and (database near3 configuration)	0	<u>L25</u>		
<u>L24</u>	L22 and (validat\$4 adj2 configuration)	1	<u>L24</u>		
<u>L23</u>	L22 and (validat\$4 adj2 configuartion)	0	<u>L23</u>		
<u>L22</u>	(("6442529")!.PN.) .p64-p145.	1	<u>L22</u>		
<u>L21</u>	L20 and validat\$4	3	<u>L21</u>		
<u>L20</u>	(("6442529"   "6212657"   "H001921")!.PN.) .p64-p145.	3	<u>L20</u>		
DB=P	GPB, USPT; PLUR=YES; OP=ADJ				
<u>L19</u>	L18 and message	12	<u>L19</u>		
<u>L18</u>	L17 and @ad<20000830	14	<u>L18</u>		
<u>L17</u>	validat\$4 adj3 configuration information	66	<u>L17</u>		
<u>L16</u>	L15 and @ad<20000830	6	<u>L16</u>		
<u>L15</u>	validat\$4 near3 configuration near3 message	16	<u>L15</u>		
<u>L14</u>	validat\$4 near3 configuration	1263	<u>L14</u>		
DB=U	SPT; PLUR=YES; OP=ADJ				
<u>L13</u>	L12 and message	1	<u>L13</u>		
<u>L12</u>	(("6715075")!.PN.) .p64-p145.	1	<u>L12</u>		
<u>L11</u>	L10 and (configuration near3 database)	2	<u>L11</u>		
<u>L10</u>	(("6715075"   "6092118"   "5937162")!.PN.) .p64-p145.	3	<u>L10</u>		
DB=PGPB, USPT; PLUR=YES; OP=ADJ					
<u>L9</u>	L8 and @ad<20000101	11	<u>L9</u>		
<u>L8</u>	L7 with L6 with L1	29	<u>L8</u>		

<u>L7</u>	message	323538	<u>L7</u>
<u>L6</u>	database	632605	<u>L6</u>
<u>L5</u>	L4 and database	1452	<u>L5</u>
<u>L4</u>	L3 and message	2226	<u>L4</u>
<u>L3</u>	L1 and @ad<20000101	3162	<u>L3</u>
<u>L2</u>	L1 and @ad<20000801	3560	<u>L2</u>
<u>L1</u>	configuration file	12618	<u>L1</u>

## END OF SEARCH HISTORY